medicut
Experts in Nitinol

mc-pII
mc-pLRF
mc-p



Peripheral Self-Expandable Nitinol Stent

mc-pII

Peripheral Self-Expandable Nitinol Stent



Fexilble stent architecture

- Open cell design
- Optimal vessel apposition
- Double-polished surface
- Minimal foreshortening
- Excellent stent visibility with laser-welded tantalum markers



Braided outer sheath

- Minimal force for stent release
- Extremely kink resistant and flexible
- Excellent pushability for cross-over



Stent visibility

3 tantal markers at proximal and distal end

6F

Fine mesh design

Proven Delivery System

- High flexibility
- Radiopaque platinum markers
- Superb kink resistance
- Excellent pushability
- Different shaft lengths: 80 cm, 130 cm



Product Specifications

Application Device 6F / 80 cm

Nominal length mm	Stent Ø 5 mm	Stent Ø 6 mm	Stent Ø 7 mm	Stent Ø 8 mm	Stent Ø 9 mm	Stent Ø 10 mm
30	2680-0530	2680-0630	2680-0730			
40	2680-0540	2680-0640	2680-0740	2680-0840	2680-0940	2680-1040
50	2680-0550	2680-0650	2680-0750	2680-0850	2680-0950	2680-1050
60	2680-0560	2680-0660	2680-0760	2680-0860	2680-0960	2680-1060
80	2680-0580	2680-0680	2680-0780	2680-0880	2680-0980	2680-1080
100	2680-5100	2680-6100	2680-7100	2680-8100	2680-9100	2680-1100
120	2680-5120	2680-6120	2680-7120	2680-8120	2680-9120	2680-1120
150	2680-5150	2680-6150	2680-7150	2680-8150		
180	2680-5180	2680-6180	2680-7180			
200	2680-5200	2680-6200	2680-7200			

Order-No.

Application Device 6F / 130 cm

Nominal length mm	Stent Ø 5 mm	Stent Ø 6 mm	Stent Ø 7 mm	Stent Ø 8 mm	Stent Ø 9 mm	Stent Ø 10 mm
30	2613-0530	2613-0630	2613-0730			
40	2613-0540	2613-0640	2613-0740	2613-0840	2613-0940	2613-1040
50	2613-0550	2613-0650	2613-0750	2613-0850	2613-0950	2613-1050
60	2613-0560	2613-0660	2613-0760	2613-0860	2613-0960	2613-1060
80	2613-0580	2613-0680	2613-0780	2613-0880	2613-0980	2613-1080
100	2613-5100	2613-6100	2613-7100	2613-8100	2613-9100	2613-1100

Order-No.

Recommended introducer sheath 6F / Maximum guide wire .035 inch

medicut
Experts in Nitinol

medicut
Experts in Nitinol

mc-pLRF

Peripheral Self-Expandable Nitinol Stent

6F

Low Radial Force



Braided outer sheath

- Minimal force for stent release
- Extremely kink resistant and flexible
- Excellent pushability for cross-over

Stent visibility

Untegrated laser-welded
tantalum marlers
at proximal and distal end



Low Radial Force (LRF) Stent

- Low radial force for less trauma to the vessel wall
- higher flexibility for enhanced vessel apposition

Fexilble stent architecture

- Fine mesh design
- Optimal vessel apposition
- Double-polished surface
- Minimal foreshortening
- Excellent stent visibility with
  laser-welded tantalum markers

Proven Delivery System

- High flexibility
- Radiopaque platinum markers
- Superb kink resistance
- Excellent pushability
- Different shaft lengths: 80 cm, 130 cm

Product Specifications

Application Device 6F / 80 cm

Nominal length mm	Stent Ø 5 mm	Stent Ø 6 mm	Stent Ø 7 mm	Stent Ø 8 mm	Stent Ø 9 mm	Stent Ø 10 mm
30	1680-0530	1680-0630	1680-0730			
40	1680-0540	1680-0640	1680-0740	1680-0840	1680-0940	1680-1040
50	1680-0550	1680-0650	1680-0750	1680-0850	1680-0950	1680-1050
60	1680-0560	1680-0660	1680-0760	1680-0860	1680-0960	1680-1060
80	1680-0580	1680-0680	1680-0780	1680-0880	1680-0980	1680-1080
100	1680-5100	1680-6100	1680-7100	1680-8100	1680-9100	1680-1100
120	1680-5120	1680-6120	1680-7120	1680-8120	1680-9120	1680-1120
150	1680-5150	1680-6150	1680-7150	1680-8150		
180	1680-5180	1680-6180	1680-7180			
200	1680-5200	1680-6200	1680-7200			

Order-No.

Application Device 6F / 130 cm

Nominal length mm	Stent Ø 5 mm	Stent Ø 6 mm	Stent Ø 7 mm	Stent Ø 8 mm	Stent Ø 9 mm	Stent Ø 10 mm
30	1613-0530	1613-0630	1613-0730			
40	1613-0540	1613-0640	1613-0740	1613-0840	1613-0940	1613-1040
50	1613-0550	1613-0650	1613-0750	1613-0850	1613-0950	1613-1050
60	1613-0560	1613-0660	1613-0760	1613-0860	1613-0960	1613-1060
80	1613-0580	1613-0680	1613-0780	1613-0880	1613-0980	1613-1080
100	1613-5100	1613-6100	1613-7100	1613-8100	1613-9100	1613-1100

Order-No.

Recommended introducer sheath 6F / Maximum guide wire .035 inch

medicut
Experts in Nitinol

medicut
Experts in Nitinol

mc-p

Peripheral Self-Expandable Nitinol Stent

5F

5F 180 cm

Transradial / Transbrachial

Fexilble stent architecture

- Optimal vessel apposition
- Double-polished surface
- Minimal foreshortening
- Excellent stent visibility with laser-welded tantalum markers

Proven Delivery System

- High flexibility
- Radiopaque platinum markers
- Superb kink resistance
- Excellent pushability
- Different shaft lengths: 80 cm, 120 cm

5F System with 180 cm shaft

- Very long shaft with 180 cm length
- Recommended for transradial and transbrachial approach
- Low profile with 5F sheath compatibility



Product Specifications

Application Device 5F / 80 cm

Nominal length mm	Stent Ø 5 mm	Stent Ø 6 mm	Stent Ø 7 mm	Stent Ø 8 mm	Stent Ø 9 mm	Stent Ø 10 mm
30	0580-0530	0580-0630	0580-0730			
40	0580-0540	0580-0640	0580-0740	0580-0840	0580-0940	0580-1040
50	0580-0550	0580-0650	0580-0750	0580-0850	0580-0950	0580-1050
60	0580-0560	0580-0660	0580-0760	0580-0860	0580-0960	0580-1060
80	0580-0580	0580-0680	0580-0780	0580-0880	0580-0980	0580-1080
100	0580-5100	0580-6100	0580-7100	0580-8100	0580-9100	0580-1100
120	0580-5120	0580-6120	0580-7120	0580-8120	0580-9210	0580-1120
150	0580-5150	0580-6150	0580-7150	0580-8150		
180	0580-5180	0580-6180	0580-7180			
200	0580-5200	0580-6200	0580-7200			

Order-No.

Application Device 5F / 120 cm

Nominal length mm	Stent Ø 5 mm	Stent Ø 6 mm	Stent Ø 7 mm	Stent Ø 8 mm	Stent Ø 9 mm	Stent Ø 10 mm
30	0513-0530	0513-0630	0513-0730			
40	0513-0540	0513-0640	0513-0740	0513-0840	0513-0940	0513-1040
50	0513-0550	0513-0650	0513-0750	0513-0850	0513-0950	0513-1050
60	0513-0560	0513-0660	0513-0760	0513-0860	0513-0960	0513-1060
80	0513-0580	0513-0680	0513-0780	0513-0880	0513-0980	0513-1080
100	0513-5100	0513-6100	0513-7100	0513-8100	0513-9100	0513-1100

Order-No.

Recommended introducer sheath 5F / Maximum guide wire .018 inch / .021 inch

Application Device 5F / 180 cm

Nominal length mm	Stent Ø 6 mm	Stent Ø 7 mm	Stent Ø 8 mm
40	0518-0640	0518-0740	0518-0840
60	0518-0660	0518-0760	0518-0860
80	0518-0680	0518-0780	0510-0880

Order-No.

Recommended introducer sheath 5F / Maximum guide wire .018 inch

medicut
Experts in Nitinol

medicut
Experts in Nitinol

medicut
Stent Technology GmbH

Christinstraße 15
D–75177 Pforzheim

Fon +49 (0) 7231-280 10-0
Fax +49 (0) 7231-280 10-25
info@medicut.de
www.medicut.de

made
in
Germany

CE 0124

2017 / 03-12_ 01